



# WASHINGTON SUBURBAN SANITARY COMMISSION

## SANITARY SEWER OVERFLOW WRITTEN REPORT

3182925-118-2022

MDE OFFICIAL CONTACTED: JAMES LYONS 136324

DATA CALLED IN BY: BRANDON T MCCREA

DATE: 08/27/2022 AT 12:55PM

WORK ORDER(S): 3182925 3182918

EST DATE AND TIME SSO BEGAN: 08/27/2022 11:04AM DURATION: 1.18 HRS

DATE AND TIME SSO ENDED: 08/27/2022 12:15PM

SOURCE-OVERFLOWING MH MH02008008 WATER BODY AFFECTED-PAINT BRANCH

CLOSEST STREET ADDRESS: 10527 DEAKINS HALL DR 20783

COUNTY/PAGE/GRID: P 5287 H07 TOWN/CITY: ADELPHI

CAUSE: DEBRIS EST OVERFLOW VOLUME: 1,770 GAL

UPON THE CREWS ARRIVAL, MANHOLE 008M WAS OVERFLOWING APPROXIMATELY 25 GPM INTO A NEARBY STORM DRAIN, IN THE PAINT BRANCH BASIN. THE CREW JETTED FROM MANHOLE 007U TO 008M, A TOTAL OF 112 FEET, AND RELIEVED GRAVEL AT 106 FEET TO END THE EVENT.

IMPACTS UPON PUBLIC HEALTH AND STATE WATERS:

DRY WEATHER

PUBLIC ACCESS

STEPS TAKEN OR PLANNED TO REDUCE, ELIMINATE AND PREVENT RECURRENCE:

THE PROBLEM WITH THIS SEWER LINE HAS BEEN REFERRED TO LINE BLOCKAGE ANALYSIS (LBA) FOR REVIEW. A FOLLOW-UP INVESTIGATION WILL BE CONDUCTED TO DETERMINE WHAT MEASURES SHOULD BE TAKEN TO REDUCE OR ELIMINATE THE CHANCE OF THIS LINE OVERFLOWING AGAIN.

MEASURES INITIATED/TAKEN TO MINIMIZE IMPACT:

LIME

THE GRASSY AREA AROUND THE MANHOLE WAS TREATED WITH LIME, AND THE STREET AND CURBLINE WERE THOROUGHLY FLUSHED AND DISINFECTED.

NOTIFICATIONS MADE:

MD DEPARTMENT OF ENVIRONMENT  
MONTGOMERY CO MUNICIPALITIES

DEP-MONTGOMERY COUNTY

ORIGINALLY REPORTED AS 10529 DEAKINS HALL DRIVE

SIGNS POSTED: 3 POST DATE: 08/27/2022