



WASHINGTON SUBURBAN SANITARY COMMISSION SANITARY SEWER OVERFLOW WRITTEN REPORT

3209318-118-2022

MDE OFFICIAL CONTACTED: JOSH CAIN

DATA CALLED IN BY: MARVIN BAILEY DATE: 11/26/2022 AT 01:57PM

WORK ORDER(S): 3209318 3209317

EST DATE AND TIME SSO BEGAN: 11/26/2022 01:07PM DURATION: 0.33 HRS
DATE AND TIME SSO ENDED: 11/26/2022 01:27PM

SOURCE-OVERFLOWING MH MH12015040 WATER BODY AFFECTED-LITTLE FALLS

CLOSEST STREET ADDRESS: 4608 WILLARD AVE 20815
COUNTY/PAGE/GRID: M 5407 F07 TOWN/CITY: BETHESDA

CAUSE: GREASE AND WIPES EST OVERFLOW VOLUME: 99 GAL

UPON ARRIVAL, THE CREW FOUND MANHOLE 040M WAS OVERFLOWING AT APPROXIMATELY 5GPM ONTO THE GRASS AND INTO A NEARBY STORM DRAIN. THE CREW JETTED FROM MANHOLE 009U TO 040M, A TOTAL OF 77 FEET, HIT AND RELIEVED A GREASE AND WIPES OBSTRUCTION AT 71 FEET, ENDING THE OVERFLOW.

IMPACTS UPON PUBLIC HEALTH AND STATE WATERS:

DRY WEATHER PUBLIC ACCESS

SEWAGE ENTERED A STORM DRAIN THAT LEADS TO LITTLE FALLS BRANCH, A TRIBUTARY OF THE POTOMAC RIVER.

STEPS TAKEN OR PLANNED TO REDUCE, ELIMINATE AND PREVENT RECURRENCE:

THE PROBLEM WITH THIS SEWER LINE HAS BEEN REFERRED TO LINE BLOCKAGE ANALYSIS (LBA) FOR REVIEW. A FOLLOW-UP INVESTIGATION WILL BE CONDUCTED TO DETERMINE WHAT MEASURES SHOULD BE TAKEN TO REDUCE OR ELIMINATE THE CHANCE OF THIS LINE OVERFLOWING AGAIN.

MEASURES INITIATED/TAKEN TO MINIMIZE IMPACT:

LIME RAKED AREA
VISIBLE SOLIDS REMOVED

THE CREW SPREAD LIME ON THE GRASSY AREA AROUND THE MANHOLE.

NOTIFICATIONS MADE:

MD DEPARTMENT OF ENVIRONMENT MONTGOMERY CO MUNICIPALITIES
DEP-MONTGOMERY COUNTY