

2024 WSSC Plumbing and Fuel Gas Code Amendment #1

(Summary of Amendment)

The 2024 WSSC Plumbing and Fuel Gas has an effective date of December 1, 2025. Amendment #1 to the 2024 WSSC Plumbing and Fuel Gas Code has an effective date of February 2, 2026.

The following are the revisions that make up Amendment #1 of the 2024 WSSC Plumbing Fuel Gas Code.

Deletions are show in red with strikethrough (~~example~~). Additions are show in blue (example).

CHAPTER 6 – COMMISSION WATER METERS

605.4.2.5 NFPA 13D or 13R residential fire sprinkler connection. On residential buildings equipped with a NFPA 13D or 13R residential fire sprinkler system, the tee feeding the residential fire sprinkler system shall be ~~located on the outlet side of the meter. No valve shall be installed on the tee branch supplying the fire sprinkler system.~~ Per Section 506.11.1.

CHAPTER 8 – INDUSTRIAL AND SPECIAL WASTE

814.12.3 Notifications of spills and clean up. The waste haulers shall notify the Commission immediately, via phone, of all spill occurrences followed by filing, in-writing within 7 days, a report detailing the reason for the spill, the areas impacted, clean-up activities, and whether the spill reached any environmentally sensitive area such as parks, residential, commercial or institutional areas, streams, rivers, lakes, ponds or storm drain. Any corrective actions taken to avoid the occurrences of the spills in the future should also be a part of this reporting. In the case where the spill occurs at an FSE, a copy of this report shall also be provided to the owner of the grease interceptor.

814.12.4 Notification of changes. Waste haulers shall notify the Commission immediately if their state license plate or registration has changed or expires on any of their permitted vehicles or trailers. The permittee shall submit any applicable renewed registration, hauling licenses, or other applicable permits to the Commission upon request.

For current and historical code documents, visit: www.wsscwater.com/codebooks