



WASHINGTON SUBURBAN SANITARY COMMISSION SANITARY SEWER OVERFLOW WRITTEN REPORT

3538822-118-2026

MDE OFFICIAL CONTACTED: SCOTT BURKHARDT

DATA CALLED IN BY: MARVIN BAILEY DATE: 01/03/2026 AT 05:28PM

WORK ORDER(S): 3538822 3538811

EST DATE AND TIME SSO BEGAN: 01/03/2026 02:42PM DURATION: 12.47 HRS
DATE AND TIME SSO ENDED: 01/04/2026 03:10AM

SOURCE-OVERFLOWING MH MH02039012 WATER BODY AFFECTED-PAINT BRANCH

CLOSEST STREET ADDRESS: 4000 GREENCASTLE RD 20866
COUNTY/PAGE/GRID: M 5168 A08 TOWN/CITY: SILVER SPRING

CAUSE: UNKNOWN EST OVERFLOW VOLUME: 2,245 GAL
UPON ARRIVAL, THE CREW FOUND MANHOLE 041U OVERFLOWING ONTO THE
GRASSY AREA AROUND THE MANHOLE, AND INTO A TRIBUTARY OF LITTLE
PAINT BRANCH. THE CREW JETTED FROM MANHOLE 041U TO MANHOLE 011U A
TOTAL OF 795' AND WERE UNABLE TO RELIEVE THE BLOCKAGE. A WSSC
CONTRACTOR SET UP BYPASS PUMPS, TO END THE EVENT.

IMPACTS UPON PUBLIC HEALTH AND STATE WATERS:

DRY WEATHER DISCOLORATION
PUBLIC ACCESS

STEPS TAKEN OR PLANNED TO REDUCE, ELIMINATE AND PREVENT RECURRENCE:
THE PROBLEM WITH THIS SEWER LINE HAS BEEN REFERRED TO LINE BLOCKAGE
ANALYSIS (LBA) FOR REVIEW. A FOLLOW-UP INVESTIGATION WILL BE
CONDUCTED TO DETERMINE WHAT MEASURES SHOULD BE TAKEN TO REDUCE OR
ELIMINATE THE CHANCE OF THIS LINE OVERFLOWING AGAIN.

MEASURES INITIATED/TAKEN TO MINIMIZE IMPACT:

NOTIFICATIONS MADE:

MD DEPARTMENT OF ENVIRONMENT MONTGOMERY CO MUNICIPALITIES
DEP-MONTGOMERY COUNTY

SIGNS POSTED: 20 POST DATE: 01/04/2026